

RANCHO SANTA ANA BOTANIC GARDEN

LEAFLETS
of
POPULAR INFORMATION

No. 4

April, 1938

DATA ON A FEW
NATIVE CALIFORNIA TREES

Prepared
by
RANCHO SANTA ANA BOTANIC GARDEN
of the
NATIVE PLANTS OF CALIFORNIA

Santa Ana Canyon
Orange County
California

DATA ON A FEW NATIVE CALIF.

	NAME	NATIVE HABITAT				
		Height	Spread	Life Zone	Moisture	Dra
CONIFERS	Libocedrus decurrens	160	35	A.T.	Dry	
	Pinus attenuata	80	40	U.S.	Dry	
	Pinus coulteri	90	40	A.T.	Dry	
	Pinus muricata	90	40	H.T.	Moist	
	Pinus radiata	100	40	H.T.	Moist	
	Pinus remorata	75	35	H.T.	Moist	
	Pinus sabiniana	100	50	U.S.	Dry	
	Pinus torreyana	90	35	U.S.	Dry	
	Pseudotsuga macrocarpa	85	35	U.S. & A.T.	Dry	
	Sequoia gigantea	325	75	A.T.	Dry	
	Sequoia sempervirens	340	100	H.T.	Moist	
	Thuja plicata	200	50	H.T. & Can.	Moist	
	Torreya californica	100	30	A.T. & H.T.	Dry-moist	
EVERGREEN	Arbutus menziesii	125	100	A.T. & H.T.	Moist	
	Lyonothamnus floribundus asprenifolius	60	25	U.S.	Dry	
	Prunus ilicifolia	30	20	U.S.	Dry	
	Prunus lyoni	45	30	U.S.	Moist	
	Quercus agrifolia	70	70	U.S. & H.T.	Dry	
	Quercus chrysolepis	100	60	A.T. & H.T.	Dry	
	Quercus morehus (hybrid)	50	35	U.S. & T.	Dry	
	Quercus wislizeni	75	60	U.S. & T.	Dry	
	Umbellularia californica	80	100	A.T. & H.T.	Moist	
DECIDUOUS	Acer macrophyllum	100	80	A.T. & H.T.	Moist	
	Acer negundo californicum	65	45	U.S.	Wet	
	Alnus rhombifolia	120	35	U.S. & T.	Wet	
	Fraxinus oregona	80	40	U.S. & T.	Dry-moist	
	Fraxinus velutina coriacea	45	35	U.S. & L.S.	Dry-moist	
	Juglans californica	40	40	U.S.	Dry	
	Juglans hindsii	80	100	U.S.	Dry	
	Platanus racemosa	100	100	U.S. & L.S.	Wet	
	Quercus douglasi	75	85	U.S.	Dry	
	Quercus engelmanni	60	80	U.S.	Dry	
	Quercus lobata	125	150	U.S.	Dry-moist	

Note on Life Zones:

L.S. - Lower Sonoran

A.T. -

U.S. - Upper Sonoran

H.T. -

CALIFORNIA TREES.

Drainage	RANCHO SANTA ANA BOT. GARDEN		SUGGESTED USAGE				
	Growth in 5-year period.		Coast	Inland	Street	Road	Misc.
	Rate	Height					
Good	Medium	12 feet.	x	x	x	x	x
Good	Slow	5 "	x	x		x	x
Good	Slow	4	x	x		x	x
Good	Fast	15	x		x	x	x
Good	Fast	15	x		x	x	x
Good	Very fast	15	x		x	x	x
Good	Medium	6		x		x	x
Good	Medium	6	x		x	x	x
Good	Very slow	2	x	x			x
Good	Medium	8	x	x		x	x
Fair	Fast	10	x			x	x
Good	Medium	8	x			x	x
Good	Very slow	2	x	x			x
Good	Fast	14	x			x	x
Good	Very fast	20	x		x	x	x
Good	Medium	8	x	x	x	x	x
Fair	Fast	10	x	x	x	x	x
Good	Medium	8	x	x	x	x	x
Good	Very slow	2½	x	x			x
Good	Variable	3	x	x			x
Good	Slow	6	x	x		x	x
Fair	Medium	8	x	x		x	x
Fair	Very fast	20	x	x	x	x	x
--	Very fast	16	x	x	x	x	x
--	Fast	12	x	x		x	x
Fair	Fast	10	x	x	x	x	x
Fair	Fast	10		x	x	x	x
Good	Medium	8	x	x		x	x
Good	Fast	10	x	x	x	x	x
--	Very fast	20	x	x	x	x	x
Good	Slow	5		x		x	x
Good	Medium	8	x	x	x	x	x
Good	Fast	15	x	x	x	x	x

- Arid Transition
 - Humid Transition

T. - Arid or Humid Transition
 Can. - Canadian

RANCHO SANTA ANA BOTANIC GARDEN
Of The Native Plants of California.

Established 1927

In Memory of John W. Bixby

- o O o -

Purpose: A scientific institution devoted to the growth and study of the native plants of California for their botanical, horticultural and popular features.

- o O o -

MAIL ADDRESS

R. F. D., Anaheim, California

- o O o -

Reissued without change of text, April, 1941